

AC/BC F.R.L

Home >> Products >> Air treatment units >> AC series Air treatment units >> AC/BC F.R.L




Product description:

AC series air treatment units ----- AC、BC F.R.L air source treatments are same style as AIRTAC. It includes 3 parts: filter, regulator and lubricator. It has standard dimensions and steady performance. We manufacture all important parts by ourself to insure the quality. Outsourcing parts were selected and tested very strictly. Auto Drain can be selected.

Ordering Code

| | | | |
|-----------|------------|--------|-----------------|
| BC | 3000 | - | D |
| | | | |
| TYPE | Joint Pipe | Drain | Type |
| AC:Small | Bore | Blank: | Differential |
| Size | 1500:G1/8" | Drain | |
| BC:Middle | 2000:G1/4" | D: | Automatic Drain |
| size | 3000:G3/8" | | |
| | 4000:G1/2" | | |





Graphic symbol



Overall Dimension

TYPE:AC



TYPE:BC



Pressure Character

AC1500 (2000)



BC2000 (3000、4000)



Flowing Character

AC1500 (2000)

BC2000 (3000、4000)



Specification

| Model | AC1500 | AC2000 | BC2000 | BC3000 | BC4000 | |
|------------------------------|----------------------------|------------------------------|--------|--------|--------|--------|
| Operating Fluid | Air | | | | | |
| Joint Pipe Bore | G1/8 | G1/4 | G1/4 | G3/8 | G1/2 | |
| Filtering Element Roughness | 40 μ | | | | | |
| Range of Adjustable Pressure | 0.05-0.85MPa | | | | | |
| Max. Adjustable Pressure | 0.95MPa | | | | | |
| Ensured Pressure Resistance | 1.5MPa | | | | | |
| Operating Temperature Range | 5-60℃ | | | | | |
| Capacity of Filter Cup | 15cc | | | 60cc | | |
| Capacity of Oil Feed Cup | 25cc | | | 90cc | | |
| Suggested Lube | ISO VG32 or Same Grade Oil | | | | | |
| Weight | 0.7Kg | | | 0.9Kg | | |
| Material | Body | Aluminum Die-casting Forming | | | | |
| | Container Cup | PE | | | | |
| | Protective Cup Cover | - | | iron | | |
| Composing Elements | Filter | AF1500 | AF2000 | BF2000 | BF3000 | BF4000 |
| | Regulator | AR1500 | AR2000 | BR2000 | BR3000 | BR4000 |
| | Lubricator | AL1500 | AL2000 | BL2000 | BL3000 | BL4000 |

Company Information:

Company Name:

Ningbo Lida Pneumatic Kit Co.,Ltd.

Website:<http://www.nblida.cn>

Address:

Eighth Quarter, Zhongxing East Road, Xikou, Fenghua, Zhejiang, China.

Post-code:315500

Contact Person:Joy Qian exporting manager

Phone:

Telephone:0086-574-88846388

Fax:0086-574-88846288

Email: export@nblida.cn