

AFC/BFC FR.L

Home >> Products >> Air treatment units >> AC series Air treatment units >> AFC/BFC FR.L




Product description:

AC series Air treatment units ----- AFC、BFC FR.L air treatment units are same style as AIRTAC. It includes 2 parts: filter@ulator and lubricator. But still have 3 function: filtration, decompression and lubricating. FR.L is much compact then F.R.L. We manufacture all important parts by ourself to insure the quality. Outsourcing parts were selected and tested very strictly. Auto Drain can be selected.

Ordering Code

Graphic symbol



BFC	3000	-	D
TYPE	Joint Pipe	Drain Type	
AFC:Small	Bore	Blank:Differential	
Size	1500:G1/8"	Drain	
BFC:Middle	2000:G1/4"	D:Automatic Drain	
size	3000:G3/8"		
	4000:G1/2"		



Overall Dimension:


TYPE:AFC

TYPE:BFC




Pressure Character

AFC1500 (2000)




BFC2000 (3000、4000)




Flowing Character

AFC1500 (2000)



BFC2000 (3000、4000)



Specication:

Model	AFC1500	AFC2000	BFC2000	BFC3000	BFC4000
Operating Fluid	Air				
Joint Pipe Bore	G1/8	G1/4	G1/4	G3/8	G1/2
Filtering Element Roughness	40 μ				
Range of Adjustable Pressure	0.05–0.85MPa				
Max. Adjustable Pressure	0.95MPa				
Ensured Pressure Resistance	1.5MPa				
Operating Temperature Range	5–60°C				
Capacity of Filter Cup	15cc		60cc		
Capacity of Oil Feed Cup	25cc		90cc		
Suggested Lube	ISO VG32 or Same Grade Oil				
Weight	0.5Kg		0.7Kg		
Material	Body	Aluminum Die-casting Forming			
	Container Cup	PE			

	Protective Cup Cover	-		iron		
Composing Elements	Filter & Regulator	AFR1500	AFR2000	BFR2000	BFR3000	BFR4000
	Lubricator	AL1500	AL2000	BL2000	BL3000	BL4000

Company Information:

Company Name:

Ningbo Lida Pneumatic Kit Co.,Ltd.

Website:<http://www.nblida.cn>

Address:

Eighth Quarter, Zhongxing East Road, Xikou, Fenghua, Zhejiang, China.

Post-code:315500

Contact Person:Joy Qian exporting manager

Phone:

Telephone:0086-574-88846388

Fax:0086-574-88846288

Email: export@nblida.cn