

## BFRH high pressure filter & regulator

Home >> Products >> Air treatment units >> High pressure series >> BFRH high pressure filter & regulator




### Product description:

Excellent performance for filtration and decompression. It can be used widely on many equipments. Air treatment units product ----- pneumatic fitting of the filtration standard is  $40\mu$ . The pressure adjustable range is:  $0.05\sim 3.0\text{Mpa}$ .

Ordering Code


BFRH	-	15
High Pressure Filter & Regulator	Joint Pipe Bore	
	08:G1/4"	
	10:G3/8"	
	15:G1/2"	
	20:G3/4"	
	25:G1"	

Graphic symbol



Overall Dimension

TYPE: BFRH-15



### Specification

Model	BFRH-08	BFRH-10	BFRH-15	BFRH-20	BFRH-25
Operating Fluid	Air				
Joint Pipe Bore	G1/4	G3/8	G1/2	G3/4	G1
Filtering Element Roughness	40 ч				
Range of Adjustable Pressure	0.05-3.0MPa				
Max. Adjustable Pressure	4MPa				
Operating Temperature Range	5-80°C				
Model	LQR-08	LQR-10			
Operating Fluid	Air				
Joint Pipe Bore	G1/8	G1/4			
Filtering Element Roughness	40 ч				
Range of Adjustable Pressure	0.05-0.08MPa				
Max. Adjustable Pressure	0.95MPa				
Ensured Pressure Resistance	1.5MPa				
Operating Temperature Range	5-60°C				

### Company Information:

**Company Name:**

Ningbo Lida Pneumatic Kit Co.,Ltd.

**Website:**<http://www.nblida.cn>

**Address:**

Eighth Quarter, Zhongxing East Road, Xikou, Fenghua, Zhejiang, China.

**Post-code:**315500

**Contact Person:**Joy Qian exporting manager

**Phone:**

**Telephone:**0086-574-88846388

**Fax:**0086-574-88846288

**Email:** [export@nblida.cn](mailto:export@nblida.cn)