

## JM mechanically valve

Home >> Products >> Directional control valve >> Other solenoid valve >> JM mechanically valve




### Product description:

JM mechanically actuated valve product ----- pneumatic control valve is manual and mechanical controlled. The advantages are: light operation force, good seal, and long working life. They are all 2/3 valves. The port size are G1/8" and G1/4" .

### Ordering Code

|                    |                       |
|--------------------|-----------------------|
| JM                 | 06                    |
|                    |                       |
| Specification code | Button Type           |
| JM: JM series      | 05:Selecive knob      |
|                    | 06:With lock Button   |
|                    | 06A:Plat Round button |
|                    | 07:Roller fype        |

### Overall Dimension



## Specification

|                             |                        |      |       |      |
|-----------------------------|------------------------|------|-------|------|
| Model                       | JM05                   | JM06 | JM06A | JM07 |
| Working Medium              | 40 Micron Filtered Air |      |       |      |
| The Position Counting       | Two-position Three-way |      |       |      |
| Joint Pipe Bore             | G1/8, G1/4             |      |       |      |
| Operating Temperature Range | 0~60°C                 |      |       |      |
| Working Pressure            | 0~0.8Mpa               |      |       |      |

## Company Information:

### Company Name:

Ningbo Lida Pneumatic Kit Co.,Ltd.

**Website:**<http://www.cn-lida.com>

### Address:

Eighth Quarter, Zhongxing East Road, Xikou, Fenghua, Zhejiang, China.

Post-code:315500

**Contact Person:**Lacey Liu exporting manager

### Phone:

**Telephone:**0086-574-88846388

**Fax:**0086-574-88846288

**Email:**export@nblida.cn