

MSV mechanically valve

Home >> Products >> Directional control valve >> Other solenoid valve >> MSV mechanically valve




Product description:

MSV mechanically valves product ----- mechanically operated valve is manual and mechanical controlled. The advantages are: light operation force, good seal, and long working life. This series mechanically valves have various types. The port size is G1/8" and G1/4" . They are 2/3 and 2/5 valves.

Ordering Code

MSV	86	32	1	R
Specification code	Model	Position and Way Number	Joint Pipe Bore	Button Type
MSV series	86: 86 Series 98: 98 Series	32: Tow-position Three- way 52: Tow-position Five- way	1:G1/8" 2:G1/4"	Blank:Basic type R:Roller fype TB:Selective knob LB:Strengthened knob PB:Large round button PP:Plat Round button PPL:Convex round button EB:With lock button




Specification

Model	MSV86321	MSV86522	MSV98322
Working Medium	40 Micron Filtered Air		
The Position Counting	Two-position Three-way	Two-position Fiveh-way	Two-position Three-way
Joint Pipe Bore	G1/8	G1/4	G1/4
Operating Temperature	0~60°C		


Effective Sectional Area 12mm²(Cv=0.67) 16mm²(Cv=0.89) 16mm²(Cv=0.89)
 Working Pressure 0~0.8Mpa

Overall Dimension


TYPE: MSV86321



TYPE: MSV86522



TYPE: MSV98322



Specification

Series	Symbol/Model	R	TB	LB	PB	PP	PPL	EB
MSV86321	A	59.5	88.5	85	83	66	71	86
	B	42.5	36.5	26.5	37.5	39.5	24.5	39.5
MSV86321	A	107.5	136.5	133	131	114	119	134
	B	42.5	36.5	26.5	37.5	39.5	24.5	39.5
MSV86321	A	99.5	129.5	125	123	106	111	126
	B	42.5	36.5	26.5	37.5	39.5	24.5	39.5

Company Information:

Company Name:

Ningbo Lida Pneumatic Kit Co.,Ltd.

Website:<http://www.cn-lida.com>

Address:

Eighth Quarter, Zhongxing East Road, Xikou, Fenghua, Zhejiang, China.

Post-code:315500

Contact Person:Lacey Liu exporting manager

Phone:

Telephone:0086-574-88846388

Fax:0086-574-88846288

Email:export@nblida.cn